


**Österreichisches Forschungsinstitut für /
Austrian Research Institute for /
Artificial Intelligence**

TR-2008-15

*Marc Cavazza, Stéphane Donikian,
Marc Christie, Ulrike Spierling, Nicolas Szilas,
Peter Vorderer, Tilo Hartmann,
Christoph Klimmt, Elisabeth André,
Ronan Champagnat, Paolo Petta, Patrick Olivier*

**The IRIS Network of Excellence: Integrating
Research in Interactive Storytelling**

- Freyung 6/6 • A-1010 Vienna • Austria •
- Phone: +43-1-5336112 •
- <mailto:sec@ofai.at> •
- <http://www.ofai.at/> •



**Österreichisches Forschungsinstitut für /
Austrian Research Institute for /
Artificial Intelligence**

TR-2008-15

*Marc Cavazza, Stéphane Donikian,
Marc Christie, Ulrike Spierling, Nicolas Szilas,
Peter Vorderer, Tilo Hartmann,
Christoph Klimmt, Elisabeth André,
Ronan Champagnat, Paolo Petta, Patrick Olivier*

**The IRIS Network of Excellence: Integrating
Research in Interactive Storytelling**

The Austrian Research Institute for Artificial Intelligence is supported by the
Austrian Federal Ministry for Science and Research and the
Austrian Federal Ministry for Transport, Innovation and Technology.

Citation: to appear in: Spierling U., Szilas N. (eds.): Proceedings of the First Joint International Conference on Interactive Digital Storytelling, November 26-29, 2008, Erfurt, Germany, EU; Lecture Notes in Computer Science, Springer-Verlag Heidelberg.

The IRIS Network of Excellence: Integrating Research in Interactive Storytelling

Marc Cavazza¹, Stéphane Donikian², Marc Christie², Ulrike Spierling³, Nicolas Szilas⁴, Peter Vorderer⁵, Tilo Hartmann⁵, Christoph Klimmt⁵, Elisabeth André⁶, Ronan Champagnat⁷, Paolo Petta⁸, Patrick Olivier⁹

¹ School of Computing, University of Teesside, TS1 3BA Middlesbrough, United Kingdom

² IRISA/INRIA, Campus de Beaulieu, 35042 Rennes, France

³ FH Erfurt, University of Applied Sciences, Altonaer Str. 25, 99085 Erfurt, Germany

⁴ TECFA, FPSE, University of Geneva, CH 1211 Genève 4, Switzerland

⁵ Center for Advanced Media Research Amsterdam (CAMErA), VU University Amsterdam, De Boelelaan 1081, 1081 HV Amsterdam, The Netherlands

⁶ Institute of Computer Science, University of Augsburg, 86135 Augsburg, Germany

⁷ University of La Rochelle, Pôle Sciences et Technologies, 17042 La Rochelle, France

⁸ Austrian Research Institute for Artificial Intelligence, Freyung 6/6, A-1010 Vienna, Austria

⁹ Culture Lab, School of Computing Science, Newcastle University, Newcastle Upon Tyne, NE1 7RU, United Kingdom

m.o.cavazza@tees.ac.uk; stephane.donikian@irisa.fr;
marc.christie@irisa.fr; spierling@fh-erfurt.de; Nicolas.Szilas@unige.ch;
p.vorderer@fsw.vu.nl; t.hartmann@fsw.vu.nl; klimmt@uni-mainz.de;
andre@informatik.uni-augsburg.de; ronan.champagnat@univ-lr.fr;
paolo.petta@ofai.at; p.l.olivier@ncl.ac.uk

Abstract. Interactive Storytelling is a major endeavour to develop new media which could offer a radically new user experience, with a potential to revolutionise digital entertainment. European research in Interactive Storytelling has played a leading role in the development of the field, and this creates a unique opportunity to strengthen its position even further by structuring collaboration between some of its main actors. IRIS (Integrating Research in Interactive Storytelling) aims at creating a virtual centre of excellence that will be able to progress the understanding of fundamental aspects of Interactive Storytelling and the development of corresponding technologies.

Keywords: Narrative Formalisms, Planning, Authoring Tools, Character Animation, Camera Control, Interactive Storytelling, Interactive Narrative.

1 Interactive Storytelling

Even though Interactive Storytelling (IS) can be traced back to early experiments with interactive cinema, the modern concept of IS has been formulated during the 1990s, through the work of Davenport [9], Nakatsu and Tosa [22] and the OZ project [2]. Yet, research in the field only developed over the last decade, in particular with the

emergence of Artificial Intelligence techniques for story generation. The IRIS (Integrating Research in Interactive Storytelling) Network of Excellence is a new EC-funded initiative (under FP7's Intelligent Content and Semantics activities) whose work should commence exactly 10 years after the 1999 AAAI Fall Symposium on Interactive Narrative [18], which can be considered as a milestone in the emergence of the discipline. This Network brings together research institutions and individuals which have contributed to the development of this research topic. It aims at advancing the discipline by providing a more integrated approach to IS both in terms of theoretical foundations and in terms of technology development. In a sense, it is a natural follower of previous projects such as INSCAPE [38], which has played an important role in the development of this Conference, through its predecessors, the ICVS (2001-2007) and TIDSE (2003-2006) conferences. However, its specificity as a NoE is to advance knowledge in the discipline itself, rather than promote a specific approach or develop a specific technology.

2 State-of-the-Art and Open Challenges

Rapid progress over the past ten years has materialised in the development of several Research prototypes [1] [4] [6] [10] [16] [17] [20] [23] [24] [28] [30] [33] [37]. A number of key concepts have emerged as central to IS, amongst which narrative control [32], duality between character and plot [19], the potential of Planning techniques for action generation [34] [36]. In addition, there has been convergence in the recognition of open problems and challenges for the development of IS systems:

- **Relations between Action generation and Staging**
The various "Story Engines" developed in IS have mostly focussed on action generation using AI techniques (Planning being the dominant one). The development of principled relations to the actual staging of such actions (their visual presentation [8] [15]) has been somehow neglected.
- **Relations between Narrative Formalisms and AI techniques**
References to narratology abound in IS research (see [5] for a review), but do not always translate into the actual implementation in particular at the level of AI formalisms.
- **Authoring**
Authoring is now considered a central problem for IS [13] [21] [25] [26] [27] [38], and the development of authoring tools a major condition for the success of IS technologies. The challenge for authoring is to evolve from proprietary solutions attached to specific IS systems.
- **User Interaction for Interactive Storytelling**
IS requires the integration of story generation and natural user interaction mechanisms. Many systems incorporate natural language processing or dialogue in search of natural interaction [4] [6] [20] [28] [33]. However, most of the effort remains dedicated to story generation, perhaps in the hope that IS could directly benefit from progress in multimodal interfaces, and some more situated interaction research is certainly needed.

- **Evaluation Methodologies for Interactive Storytelling**

Whilst there have been some considerations on measuring technical performance and scalability [7] [20] (also for authoring [3]) and on high-level properties of the narrative such as suspense [35], there are so far no established methodologies to evaluate the “quality” of an Interactive Narrative.

Of these challenges, we shall briefly discuss two, which, in our view, have not received sufficient attention to date.

3 Computational Narratology

The theoretical foundations of IS are comparatively less advanced, and most of the above concepts have emerged as empirical findings in the development of the above prototypes and associated experiments. Despite the identification of Narratology [29] and Narrative formalisms [5] [11] as a potential theoretical background, their role in IS is largely underspecified if compared to the role of Linguistics for Computational Linguistics and Natural Language Processing; in other words, whether IS can be grounded in Computational Narratology is still a matter to be explored. Narrative Formalisms can influence all aspects of IS, from story generation to story presentations. They can influence the definition of AI formalisms for story generation, whether these are based on planning or not. Understanding narrative formalisms also helps story presentation through aspects such as camera placement: to a large extent, film idioms [8] popular in camera control correspond to empirical narrative formalisms and could benefit from a more fundamental analysis. Ultimately narrative formalisms can support unified representations for narrative actions which are also important for authoring and even the definition of software architectures (for instance providing principled interfaces between action and virtual actors’ animation).

4 Evaluating Interactive Storytelling

While there is strong tradition in the social sciences and the humanities to investigate readers’ (and, more recently, viewers’) experience of and response to conventional linear stories such as novels, short stories, or movies, user-centred research on IS is not a well-established field. A few research units worldwide run studies on the systematic measurement of user responses to video games. Some small scale pilot studies have been published on user reactions to dedicated IS environments, mostly for the purpose of specific system optimisation or the initial demonstration that a given application ‘can work’ (e.g., [1] [14]). However, the methodologies applied (also in video game research) are highly diverse, and there is not much practical experience with effective measures for system evaluation in IS available. While the first evaluation issue relates to general system usability, target audiences and the question which kind of people are likely to select and enjoy a given IS environment, the second issue reflects the ‘entertainment value’ or enjoyment of the experience delivered by the system. Enjoyment is a highly complex experiential state with a

variety of manifestations (e.g., exhilaration, suspense, pride) and numerous determinants attached to both the system delivering the experience and the person confronted with the system [31]. To evaluate whether a given IS system achieves a satisfying level of enjoyment in users from defined audiences, it is thus necessary to specify in advance the kind of experiential quality a system shall deliver. Consequently, experimental exposure studies with control groups can apply appropriate enjoyment measures and reveal the entertainment-related capacity of the system.

5 Conclusions

Besides the joint research that will take place within IRIS, the Network plans to develop activities to the benefit of the larger IS Research community. It will endeavour to disseminate theoretical results, technological components and data, for instance evaluation methodologies, comparative formalisations of plots, and various corpora (for instance of interaction data).

References

1. Aylett, R. S., Louchart, S., Dias, J., Paiva, A. & Vala, M.: FearNot! - An experiment in emergent narrative. In T. Panayiotopoulos et al. (Eds.), *Intelligent Virtual Agents: 5th International Working Conference (IVA 2005 Proceedings)*, pp. 305-316. Springer, Heidelberg (2005)
2. Bates, J.: The role of emotion in believable agents. *Communications of the ACM*, 37(7) pp.122-125 (1994)
3. Carbonaro, M., Cutumisu, M., McNaughton, M., Onuczko, C., Roy, T., Schaeffer, J., Szafron, D., Gillis, S. and Kratchmer, S.: *Interactive Story Writing in the Classroom: Using Computer Games*, International DiGRA Conference, June 2005, pp. 323-338 (2005)
4. Cavazza, M., Charles, F. and Mead, S.J.: *Character-based Interactive Storytelling*. *IEEE Intelligent Systems*, 17(4), pp. 17-24 (2002)
5. Cavazza, M. and Pizzi, D.: *Narratology for Interactive Storytelling: a Critical Introduction*. 3rd International Conference on Technologies for Interactive Digital Storytelling and Entertainment, TIDSE 2006, LNCS, vol. 4326, pp 72-83 (2006)
6. Cavazza, M., Lugin, J.-L., Pizzi, D. and Charles, F.: *Madame Bovary on the Holodeck: immersive interactive storytelling*. *ACM Multimedia 2007*, pp. 651-660 (2007)
7. Charles, F. and Cavazza, M.: *Exploring the Scalability of Character-based Storytelling*. Third ACM Joint Conference on Autonomous Agents and Multi-Agent Systems, New York, USA, pp. 872-879 (2004)
8. Christie, M. and Olivier, P.: *Automatic Camera Control. State of the Art Report*. Eurographics, Vienna, Austria (2006)
9. Davenport, G.: *Seeking Dynamic, Adaptive Story Environments*. *IEEE MultiMedia* 1(3): pp. 9-13 (1994)
10. Donikian, S. and Portugal, J.-N.: *Writing Interactive Fiction Scenarii with DraMachina*. TIDSE 2004, LNCS, vol. 3105, pp. 101-112 (2004)
11. Grasbon, D. and Braun, N.: *A Morphological Approach to Interactive Storytelling*, Proceedings of Cast01, Living in Mixed Realities, Sankt Augustin, Germany, pp. 337-340 (2001)

12. Gratch, J.: Why you should buy an emotional planner, Proceedings of the Autonomous Agents 1999 Workshop on Emotion-based Agent Architectures, EBAA'99 (1999)
13. Iurgel, I.: Cyranus – an authoring tool for interactive edutainment applications. In: Pan, Z. et al.: Technologies for E-Learning and Digital Entertainment: First international conference, Edutainment 2006, Hangzhou, China, April 16-19, 2006. LNCS, vol. 3942, pp. 577-580. Springer, Heidelberg (2006)
14. Kelso, M. T., Weyhrauch, P., & Bates, J.: Dramatic presence. Presence: Teleoperators and Virtual Environments, 2(1), 1-15 (1993)
15. Lamarche, F. and Donikian, S.: Automatic orchestration of behaviours through the management of resources and priority levels. First Joint Conference on Autonomous Agents and Multi-Agents Systems (AAMAS 2002), pp. 1309-1316 (2002)
16. Machado, I, Paiva, A. and Brna, P.: Real Characters in Virtual Stories (Promoting Interactive Story-Creation Activities). First International Conference on Virtual Storytelling (ICVS 2001), Avignon, France, LNCS, vol. 2197, pp. 127-134. Springer Heidelberg (2001)
17. Magerko, B., Laird, J.E., Assanie, M., Kerfoot, A. and Stokes, D.: AI Characters and Directors for Interactive Computer Games. Proceedings of the Nineteenth National Conference on Artificial Intelligence (AAAI 2004), pp. 877-883 (2004)
18. Mateas, M. and Sengers, P.: AAAI Fall Symposium on Narrative Intelligence. AAAI Technical Report FS-99-01 (1999)
19. Mateas, M. and Stern, A.: Towards Integrating Plot and Character for Interactive Drama. AAAI Fall Symposium on Socially Intelligent Agents: The Human in the Loop (2000)
20. Mateas M. and Stern A.: A Behavior Language for Story-based Believable Agents, IEEE Intelligent Systems, 17(4) (2002)
21. Medler, B., Magerko, B.: Scribe: A Tool for Authoring Event Driven Interactive Drama. In: Göbel, S., Malkewitz, R., Iurgel, I. (eds.) TIDSE 2006. LNCS, vol. 4326, pp. 139-150, Springer, Heidelberg (2006)
22. Nakatsu, R. and Tosa, N.: Interactive Movies, In: B. Furht (Ed), Handbook of Internet and Multimedia –Systems and applications, CRC Press and IEEE Press (1999)
23. Rank S., and Petta P.: From ActAffAct to BehBehBeh: Increasing Affective Detail in a Story-World, in Cavazza M., Donikian S. (eds.), Virtual Storytelling: Fourth International Conference, ICVS 2007, St. Malo, France, LNCS, vol. 4871, pp.206-209. Springer-Verlag Heidelberg (2007)
24. Riedl, M.O., and Young, R.M.: An Intent-Driven Planner for Multi-Agent Story Generation. Third ACM Joint Conference on Autonomous Agents and Multi-Agent Systems, New York, USA, pp. 186-193 (2004)
25. Skorupski, J., Jayapalan, L., Marquez, S., Mateas, M.: Wide Ruled: A Friendly Interface to Author-Goal Based Story Generation. In: M. Cavazza and S. Donikian (Eds.): ICVS 2007, LNCS, vol. 4871, pp. 26--37, Springer, Heidelberg (2007)
26. Spierling, U., Weiß, S.A., Müller, W.: Towards Accessible Authoring Tools for Interactive Storytelling. In: Goebel, Malkewitz, Iurgel (eds.): Technologies for Interactive Digital Storytelling and Entertainment, Conference Proceedings, Darmstadt, LNCS, vol. 4326, pp. 169 – 180. Springer Verlag Heidelberg (2006)
27. Spierling, U.: Adding Aspects of "Implicit Creation" to the Authoring Process in Interactive Storytelling. In: Cavazza, M., Donikian, S. (eds.): Virtual Storytelling, ICVS 2007, Conference Proceedings, Saint Malo, France; LNCS, vol. 4871, pp. 13 – 25. Springer Verlag Heidelberg(2007)
28. Swartout, W., Hill, R., Gratch, J., Johnson, W.L., Kyriakakis, C., LaBore, C., Lindheim, R., Marsella, S., Miraglia, D., Moore, B., Morie, J., Rickel, J., Thieboux, M., Tuch, L., Whitney, R. and Douglas, J.: Toward the Holodeck: Integrating Graphics, Sound, Character and Story. Proceedings of the Autonomous Agents 2001 Conference (2001)

29. Szilas, N.: Interactive Drama on Computer: Beyond Linear Narrative. In Proc. AAAI Fall Symposium on Narrative Intelligence (North Falmouth MA). Menlo Park: AAAI Press (1999)
30. Szilas, N.: IDtension: a narrative engine for Interactive Drama. In: Göbel et al. (eds) Proc. TIDSE 03. Fraunhofer IRB Verlag, pp. 187-203 (2003)
31. Vorderer, P., Klimmt, C. & Ritterfeld, U.: Enjoyment: At the heart of media entertainment. *Communication Theory*, 14 (4), 388-408 (2004)
32. Weyhrauch, P.: Guiding Interactive Drama, Ph.D. Dissertation, Tech report CMUCS-97-109, Carnegie Mellon University (1997)
33. Weiß, S., Müller, W., Spierling, U., Steimle, F.: Scenejo – An Interactive Storytelling Platform. In: *Virtual Storytelling, Using Virtual Reality Technologies for Storytelling, Third International Conference, LNCS*, vol. 3805, pp. 77-80 (2005)
34. Young R.M.: Notes on the use of Plan Structures in the Creation of Interactive Plot. AAAI Fall Symposium on Narrative Intelligence. AAAI Press (1999)
35. Young R.M.: Cognitive and computational models of suspense: Towards the automatic creation of suspense in interactive narratives”, talk presented at *Interactive Frictions: The Conference Produced at the Pressure Point Between Theory and Practice: An International Conference on Interactive Narrative*, University of Southern California, Los Angeles, CA (1999)
36. Young R.M.: Creating Interactive Narrative Structures: The Potential for AI Approaches. AAAI Spring Symposium in Artificial Intelligence and Entertainment. AAAI Press (2000)
37. Young R.M.: An Overview of the Mimesis Architecture: Integrating Intelligent Narrative Control into an Existing Gaming Environment, *The Working Notes of the AAAI Spring Symposium on Artificial Intelligence and Interactive Entertainment*, Stanford, CA, March (2001)
38. Zagalo, N., Göbel, S., Torres, A., Malkewitz, R.: INSCAPE: Emotion Expression and Experience in an Authoring Environment. In: Göbel, S., Malkewitz, R., Iurgel, I. (eds.) *TIDSE 2006. LNCS*, vol. 4326, pp. 219--230, Springer, Heidelberg (2006)